INDEX TO VOLUME 3

Author Index

Alexopoulos GS: Methodology of treatment studies in geriatric depression. Fall 280–289

Alexopoulos GS, Meyers BS, Young RC, Chester J, Feder M, Einhorn A: Anxiety in geriatric depression: effects of age and cognitive impairment. Spring 108–118

Altieri L: *See* **Laghrissi-Thode F**

Alvarez E: *See* **Kennedy GJ**

Argüelles S: *See* **Loewenstein DA**

Argüelles T: *See* **Loewenstein DA**

Austrom MG: *See* **Hendrie HC**

Baker FM, Chrismer B: Establishing a geriatric psychiatric consultation in a VA medical center. Fall 348–352

Baker FM, Velli SA, Friedman J, Wiley C: Screening tests for depression in older black vs. white patients. Winter 43–51

Barrett V: *See* **Gurland B**

Belle S: *See* **Ganguli M**

Bendfeldt F: *See* **Sandborn WD**

Bolivar M: *See* **Wilder D**

Borson S: *See* **Walker S**

Burke WJ: *See* **Maixner SM**

Busse EW: Ethnic Minority Elderly: A Task Force Report of the American Psychiatric Association, by the American Psychiatric Association (book review). Winter 85–87; How Different Religions View Death and the Afterlife, edited by Johnson CJ, McGee MG (book review). Spring 179–180

Butters NL: *See* **Pies RW**

Callahan CA: *See* **Hendrie HC**

Cantillon M: When the Mind Fails: A Guide to Dealing With Incompetency, by Silberfeld M, Fish A (book review). Fall 354

Cashman J: *See* **Walker S**

Chen J: *See* **Wilder D**

Chester J: *See* **Alexopoulos GS**

Chojnacki MJ: Psychiatric Care of the Medical Patient, edited by Stoudemire A, Fogel BS (book review). Fall 353

Chrismer B: *See* **Baker FM**

Cohen GD: Health care costs associated with aging: what is your HCA IQ? (editorial). Summer 185–190; Humor and aging: Methusalah and Thalia as close friends (editorial). Spring 93–95; Intergenerationalism: a new "ism" with positive mental health and social policy potential (editorial). Winter 1–5; Mental health promotion in later life (editorial). Fall 277–279

Colenda CC: *See* **McCall WV**; **Farah A**

Colenda CC, Poses RM, Rapp SR, Leist JC, Reboussin DM: Anticipated regret associated with treatment decisions for agitated dementia patients. Winter 68–74

Corbin S: *See* **Walker S**

Cox C: *See* **Horwitz GJ**

Cross P: *See* **Gurland B**; **Wilder D**

D'Angelo K: *See* **Katz IR**

DiFilippo S: *See* **Katz IR**

Duara R: *See* **Loewenstein DA**

Einhorn A: *See* **Alexopoulos GS**

Encarnacion P: *See* **Wilder D**

Farah A, Colenda CC: Combination ECT and antidepressant therapy (letter). Fall 356–357

Farah BA: *See* **McCall WV**

Feder M: *See* **Alexopoulos GS**

Feinberg TE: *See* **Galynker II**

Frank E: *See* **Reynolds CF III**

Friedman J: *See* **Baker FM**

Galynker II, Roane DM, Miner CR, Feinberg TE, Watts P: Negative symptoms in patients with Alzheimer's disease. Winter 52–59

Ganguli M, Gilby J, Seaberg E, Belle S: Depressive symptoms and associated factors in a rural elderly population: the MoVIES project. Spring 144–160

George CJ: *See* **Reynolds CF III**

Gierz M, Sewell DD, Kramer R, Gillin JC, Jeste DV: Psychotic vs. nonpsychotic depression in older patients. Winter 75–80

Gilby J: *See* **Ganguli M**

Gillin JC: *See* **Gierz M**

Gottlieb GL: *See* **Lebowitz BD**

Gurland B: *See* **Wilder D**

Gurland B, Wilder D, Cross P, Lantigua R, Teresi J, Barrett V, Stern Y, Mayeux R: Relative rates of dementia by multiple case definitions over two prevalence periods, in three sociocultural groups. Winter 6–20

Gutzmann H: *See* **Ströhle A**

Hamdy R: *See* **Sandborn WD**

Harner R: *See* **Katz IR**

Hayashi T, Yamawaki S, Nishikawa T, Jeste DV: Usage and side effects of neuroleptics

in elderly Japanese patients. Fall 308–316
Hendrie HC, Callahan CA, Levitt EE, Hui SL, Musick B, Austrom MG, Nurnberger JI, Tierney WM: Prevalence rates of major disorders: the effects of varying the diagnostic criteria in an older, primary care population. Spring 119–131
Holroyd S, Sheldon-Keller A: A study of visual hallucinations in Alzheimer's disease. Summer 198–205
Horwitz GJ, Tariot PN, Mead K, Cox C: Discontinuation of antipsychotics in nursing home patients with dementia. Fall 290–299
Hui SL: *See* **Hendrie HC**
Jeste DV: *See* **Hayashi T**; **Gierz M**
Kaplan A: *See* **Small GW**
Katon W: *See* **Walker S**
Katsnelson N: *See* **Kennedy GJ**
Katz IR, Parmelee PA, Streim JE: Depression in older patients in residential care: significance of dysphoria and dimensional assessment. Spring 161–169
Katz IR, Sands LP, DiFilippo S, D'Angelo K, Harner R: Use of prediction intervals to characterize electroencephalographic changes caused by diphenhydramine. Summer 206–216
Kennedy GJ, Katsnelson N, Laitman L, Alvarez E: Psychogeriatric services at certified home health agencies: case reports and guidelines for psychiatric consultants. Fall 339–347
Komo S: *See* **Small GW**
Kramer R: *See* **Gierz M**
Kumar V: Depression in Late Life, 2nd Ed., by Blazer D (book review). Summer 244
Kupfer DJ: *See* **Pearson JL**; **Laghrissi-Thode F**; **Reynolds CF III**
La Rue A: *See* **Small GW**
Laghrissi-Thode F, Pollock BG, Miller M, Altieri L, Kupfer DJ: Comparative effects of sertraline and nortriptyline on body sway in older depressed patients. Summer 217–228
Laitman L: *See* **Kennedy GJ**
Lantigua R: *See* **Gurland B**; **Wilder D**
Lebowitz BD: *See* **Pearson JL**
Lebowitz BD, Gottlieb GL: Clinical research in the managed care environment. Winter 21–25
Leist JC: *See* **Colenda CC**
Levitt EE: *See* **Hendrie HC**
Lieff J: *See* **Salzman C**
Loewenstein DA, Duara R, Argüelles T, Argüelles S: Use of the Fuld Object-Memory Evaluation in the detection of mild dementia among Spanish- and English-speaking groups. Fall 300–307
Maier H: *See* **Ströhle A**
Maixner SM, Burke WJ, Roccaforte WH, Wengel SP, Potter JF: A comparison of two depression scales in a geriatric assessment clinic. Winter 60–67
Mandelkern MA: *See* **Small GW**
Mazumdar S: *See* **Reynolds CF III**
McCall WV, Farah BA, Reboussin D, Colenda CC: Comparison of the efficacy of titrated, moderate-dose and fixed, high-dose right unilateral ECT in elderly patients. Fall 317–324
McLaughlin M: *See* **Walker S**
Mead K: *See* **Horwitz GJ**
Meyers BS: *See* **Alexopoulos GS**
Miller M: *See* **Laghrissi-Thode F**
Miller MD: *See* **Reynolds CF III**
Miner CR: *See* **Galynker II**
Mini LJ: Diagnosis and Treatment of Depression in Late Life: Results of the NIH Consensus Development Conference, edited by Schneider LS, Reynolds CF III, Lebowitz BD, Friedhoff AJ (book review). Winter 84–85
Musick B: *See* **Hendrie HC**
Nishikawa T: *See* **Hayashi T**
Nurnberger JI: *See* **Hendrie HC**
Paradis CF: *See* **Reynolds CF III**
Parmelee PA: *See* **Katz IR**
Pearson JL, Reynolds CF III, Kupfer DJ, Lebowitz BD: Outcome measures in late-life depression. Summer 191–197
Perel JM: *See* **Reynolds CF III**
Peskind E: *See* **Walker S**
Pies RW, Butters NL: Now I Lay Me Down: Suicide in the Elderly, edited by Lester D, Tallmer M (book review). Spring 176–178
Pollock BG: *See* **Reynolds CF III**; **Laghrissi-Thode F**
Poses RM: *See* **Colenda CC**
Potter JF: *See* **Maixner SM**
Puckett AC Jr: Aging and the Religious Dimension, by Thomas LE, Eisenhandler SA (book review). Fall 355
Rapp SR: *See* **Colenda CC**

Raskind M: *See* **Walker S**
Reboussin DM: *See* **Colenda CC**; **McCall WV**
Reynolds CF III: *See* **Pearson JL**
Reynolds CF III, Frank E, Perel JM, Miller MD, Paradis CF, Stack JA, Pollock BD, Rifai AH, Cornes C, George CJ, Mazumdar S, Kupfer DJ: Nortriptyline side effects during double-blind, randomized, placebo-controlled maintenance therapy in older, depressed patients. Spring 170–175
Richert A: *See* **Ströhle A**
Rifai AH: *See* **Reynolds CF III**
Roane DM: *See* **Galynker II**
Roccaforte WH: *See* **Maixner SM**
Ruskin PE: *See* **Weinman E**
Salzman C, Vaccaro B, Lieff J, Weiner A: Clozapine in older patients with psychosis and behavioral disruption. Winter 26–33
Sandborn WD, Bendfeldt F, Hamdy R: Valproic acid for physically aggressive behavior in geriatric patients. Summer 239–242
Sands LP: *See* **Katz IR**
Seaberg E: *See* **Ganguli M**
Sewell DD: *See* **Gierz M**
Sheldon-Keller A: *See* **Holroyd S**
Small GW, Komo S, La Rue A, Kaplan A, Mandelkern MA: Memory self-appraisal and cerebral glucose metabolism in age-associated memory impairment. Spring 132–143
Stack JA: *See* **Reynolds CF III**
Stern Y: *See* **Gurland B**
Streim JE: *See* **Katz IR**
Ströhle A, Richert A, Maier H, Gutzmann H: Improving the clinical recognition of very mild dementia using multiple levels of assessment. Winter 34–42
Sunderland T: Growing Older and Wiser: Coping With Expectations, Challenges, and Changes in the Later Years, by Billig N (book review). Winter 87–89
Tariot PN: *See* **Horwitz GJ**
Teresi J: *See* **Gurland B**; **Wilder D**
Tierney WM: *See* **Hendrie HC**
Vaccaro B: *See* **Salzman C**
Velli SA: *See* **Baker FM**
Walker S, Borson S, Katon W, Peskind E, Corbin S, Cashman J, McLaughlin M, Raskind M: Differential clinical characteristics of older black and white nursing home residents: a pilot study. Summer 229–238
Watts P: *See* **Galynker II**
Weiner A: *See* **Salzman C**
Weinman E, Ruskin PE: Levodopa dependence and hypersexuality in an older Parkinson's disease patient. Winter 81–83
Wengel SP: *See* **Maixner SM**
Westermeyer J: Sleep Disorders and Insomnia in the Elderly (Factors and Research in Gerontology, Vol. 7), edited by Morley JE, Roth T (book review). Summer 243–244
Wilder D: *See* **Gurland B**
Wilder D, Cross P, Chen J, Gurland B, Lantigua LA, Teresi J, Bolivar M, Encarnacion P: Operating characteristics of brief screens for dementia in a multicultural population. Spring 96–107
Wiley C: *See* **Baker FM**
Yamawaki S: *See* **Hayashi T**
Yesavage J: Aiding Older Adults With Memory Complaints, by Scogin F, Prohaska M (book review). Spring 178
Young RC: *See* **Alexopoulos GS**

Subject Index

Aggressive Behavior
Valproic acid for physically aggressive behavior in geriatric patients. Sandborn WD, Bendfeldt F, Hamdy R. Summer 239–242
Agitation
Anticipated regret associated with treatment decisions for agitated dementia patients. Colenda CC, Poses RM, Rapp SR, Leist JC, Reboussin DM. Winter 68–74
Clozapine in older patients with psychosis and behavioral disruption. Salzman C, Vaccaro B, Lieff J, Weiner A. Winter 26–33
Alzheimer's Disease
Negative symptoms in patients with Alzheimer's disease. Galynker II, Roane DM, Miner CR, Feinberg TE, Watts P. Winter 52–59
A study of visual hallucinations in Alzheimer's disease. Holroyd S, Sheldon-Keller A. Summer 198–205

Antidepressants
Combination ECT and antidepressant therapy (letter). Farah A, Colenda CC. Fall 356–357
Anxiety
Anxiety in geriatric depression: effects of age and cognitive impairment. Alexopoulos GS, Meyers BS, Young RC, Chester J, Feder M, Einhorn A. Spring 108–118
Assessment/Testing
A comparison of two depression scales in a geriatric assessment clinic. Maixner SM, Burke WJ, Roccaforte WH, Wengel SP, Potter JF. Winter 60–67
Depression in older patients in residential care: significance of dysphoria and dimensional assessment. Katz IR, Parmelee PA, Streim JE. Spring 161–169
Improving the clinical recognition of very mild dementia using multiple levels of assessment. Ströhle A, Richert A, Maier H, Gutzmann H. Winter 34–42
Outcome measures in late-life depression. Pearson JL, Reynolds CF III, Kupfer DJ, Lebowitz BD. Summer 191–197
Prevalence rates of major disorders: the effects of varying the diagnostic criteria in an older, primary care population. Hendrie HC, Callahan CA, Levitt EE, Hui SL, Musick B, Austrom MG, Nurnberger JI, Tierney WM. Spring 119–131
Behavioral Problems
Clozapine in older patients with psychosis and behavioral disruption. Salzman C, Vaccaro B, Lieff J, Weiner A. Winter 26–33
Books Reviewed
Aging and the Religious Dimension, by Thomas LE, Eisenhandler SA. Puckett AC Jr. Fall 355
Aiding Older Adults With Memory Complaints, by Scogin F, Prohaska M. Yesavage J. Spring 178
Depression in Late Life, 2nd Ed., by Blazer D. Kumar V. Summer 244
Diagnosis and Treatment of Depression in Late Life: Results of the NIH Consensus Development Conference, edited by Schneider LS, Reynolds CF III, Lebowitz BD, Friedhoff AJ. Mini LJ. Winter 84–85
Ethnic Minority Elderly: A Task Force Report of the American Psychiatric Association, by the American Psychiatric Association. Busse EW. Winter 85–87
Growing Older and Wiser: Coping With Expectations, Challenges, and Changes in the Later Years, by Billig N. Sunderland T. Winter 87–89
How Different Religions View Death and the Afterlife, edited by Johnson CJ, McGee MG. Busse EW. Spring 179–180
Now I Lay Me Down: Suicide in the Elderly, edited by Lester D, Tallmer M. Pies RW, Butters NL. Spring 176–178
Psychiatric Care of the Medical Patient, edited by Stoudemire A, Fogel BS. Chojnacki MJ. Fall 353
Sleep Disorders and Insomnia in the Elderly (Factors and Research in Gerontology, Vol. 7), edited by Morley JE, Roth T. Westermeyer J. Summer 243–244
When the Mind Fails: A Guide to Dealing With Incompetency, by Silberfeld M, Fish A. Cantillon M. Fall 354
Clozapine
Clozapine in older patients with psychosis and behavioral disruption. Salzman C, Vaccaro B, Lieff J, Weiner A. Winter 26–33
Comorbid Physical Illness
Anxiety in geriatric depression: effects of age and cognitive impairment. Alexopoulos GS, Meyers BS, Young RC, Chester J, Feder M, Einhorn A. Spring 108–118
Depressive symptoms and associated factors in a rural elderly population: the MoVIES project. Ganguli M, Gilby J, Seaberg E, Belle S. Spring 144–160
Prevalence rates of major disorders: the effects of varying the diagnostic criteria in an older, primary care population. Hendrie HC, Callahan CA, Levitt EE, Hui SL, Musick B, Austrom MG, Nurnberger JI, Tierney WM. Spring 119–131
Creativity
Methusalah and Thalia as close friends (editorial). Cohen GD. Spring 93–95
Dementia
Anticipated regret associated with treatment decisions for agitated dementia patients. Colenda CC, Poses RM, Rapp SR, Leist JC, Reboussin DM. Winter 68–74
Anxiety in geriatric depression: effects of age and cognitive impairment. Alexopoulos GS, Meyers BS, Young RC, Chester J, Feder M, Einhorn A. Spring 108–118
Discontinuation of antipsychotics in nursing home patients with dementia. Horwitz

GJ, Tariot PN, Mead K, Cox C. Fall 290–299

Dementia, Differential Diagnosis

Improving the clinical recognition of very mild dementia using multiple levels of assessment. Ströhle A, Richert A, Maier H, Gutzmann H. Winter 34–42

Relative rates of dementia by multiple case definitions over two prevalence periods, in three sociocultural groups. Gurland B, Wilder D, Cross P, Lantigua R, Teresi J, Barrett V, Stern Y, Mayeux R. Winter 6–20

Use of the Fuld Object-Memory Evaluation in the detection of mild dementia among Spanish- and English-speaking groups. Loewenstein DA, Duara R, Argüelles T, Argüelles S. Fall 300–307

Dementia and Depression

Negative symptoms in patients with Alzheimer's disease. Galynker II, Roane DM, Miner CR, Feinberg TE, Watts P. Winter 52–59

Demographics

Depressive symptoms and associated factors in a rural elderly population: the MoVIES project. Ganguli M, Gilby J, Seaberg E, Belle S. Spring 144–160

Prevalence rates of major disorders: the effects of varying the diagnostic criteria in an older, primary care population. Hendrie HC, Callahan CA, Levitt EE, Hui SL, Musick B, Austrom MG, Nurnberger JI, Tierney WM. Spring 119–131

Depression

Anxiety in geriatric depression: effects of age and cognitive impairment. Alexopoulos GS, Meyers BS, Young RC, Chester J, Feder M, Einhorn A. Spring 108–118

Depression in older patients in residential care: significance of dysphoria and dimensional assessment. Katz IR, Parmelee PA, Streim JE. Spring 161–169

Depressive symptoms and associated factors in a rural elderly population: the MoVIES project. Ganguli M, Gilby J, Seaberg E, Belle S. Spring 144–160

Psychotic vs. nonpsychotic depression in older patients. Gierz M, Sewell DD, Kramer R, Gillin JC, Jeste DV. Winter 75–80

Depression, Diagnosis/Screening

A comparison of two depression scales in a geriatric assessment clinic. Maixner SM, Burke WJ, Roccaforte WH, Wengel SP, Potter JF. Winter 60–67

Depressive symptoms and associated factors in a rural elderly population: the MoVIES project. Ganguli M, Gilby J, Seaberg E, Belle S. Spring 144–160

Operating characteristics of brief screens for dementia in a multicultural population. Wilder D, Cross P, Chen J, Gurland B, Lantigua LA, Teresi J, Bolivar M, Encarnacion P. Spring 96–107

Prevalence rates of major disorders: the effects of varying the diagnostic criteria in an older, primary care population. Hendrie HC, Callahan CA, Levitt EE, Hui SL, Musick B, Austrom MG, Nurnberger JI, Tierney WM. Spring 119–131

Psychotic vs. nonpsychotic depression in older patients. Gierz M, Sewell DD, Kramer R, Gillin JC, Jeste DV. Winter 75–80

Screening tests for depression in older black vs. white patients. Baker FM, Velli SA, Friedman J, Wiley C. Winter 43–51

Depression, Subsyndromal/Dysphoria

Depression in older patients in residential care: significance of dysphoria and dimensional assessment. Katz IR, Parmelee PA, Streim JE. Spring 161–169

Depressive symptoms and associated factors in a rural elderly population: the MoVIES project. Ganguli M, Gilby J, Seaberg E, Belle S. Spring 144–160

Depression, Treatment

Combination ECT and antidepressant therapy (letter). Farah A, Colenda CC. Fall 356–357

Comparative effects of sertraline and nortriptyline on body sway in older depressed patients. Laghrissi-Thode F, Pollock BG, Miller M, Altieri L, Kupfer DJ. Summer 217–228

Comparison of the efficacy of titrated, moderate-dose and fixed, high-dose right unilateral ECT in elderly patients. McCall WV, Farah BA, Reboussin D, Colenda CC. Fall 317–324

Methodology of treatment studies in geriatric depression. Alexopoulos GS. Fall 280–289

Outcome measures in late-life depression. Pearson JL, Reynolds CF III, Kupfer DJ, Lebowitz BD. Summer 191–197

Nortriptyline side effects during double-blind, randomized, placebo-controlled maintenance therapy in older, depressed patients. Reynolds CF III, Frank E, Perel JM, Miller MD, Paradis CF, Stack JA, Pollock BD, Rifai AH, Cornes C, George CJ, Mazumdar S, Kupfer DJ. Spring 170–175

Diphenhydramine

Use of prediction intervals to characterize electroencephalographic changes caused by diphenhydramine. Katz IR, Sands LP, DiFilippo S, D'Angelo K, Harner R. Summer 206–216

Editorials

Health care costs associated with aging: what is your HCA IQ? Cohen GD. Summer 185–190

Humor and aging: Methusalah and Thalia as close friends. Cohen GD. Spring 93–95

Intergenerationalism: a new "ism" with positive mental health and social policy potential. Cohen GD. Winter 1–5

Electroconvulsive Therapy (ECT)

Combination ECT and antidepressant therapy (letter). Farah A, Colenda CC. Fall 356–357

Comparison of the efficacy of titrated, moderate-dose and fixed, high-dose right unilateral ECT in elderly patients. McCall WV, Farah BA, Reboussin D, Colenda CC. Fall 317–324

Electroencephalographic (EEG) Studies

Use of prediction intervals to characterize electroencephalographic changes caused by diphenhydramine. Katz IR, Sands LP, DiFilippo S, D'Angelo K, Harner R. Summer 206–216

Hallucinations

A study of visual hallucinations in Alzheimer's disease. Holroyd S, Sheldon-Keller A. Summer 198–205

Health Care Policy

Clinical research in the managed care environment. Lebowitz BD, Gottlieb GL. Winter 21–25

Health care costs associated with aging: what is your HCA IQ? (editorial). Cohen GD. Summer 185–190

Intergenerationalism: a new "ism" with positive mental health and social policy potential (editorial). Cohen GD. Winter 1–5

Hispanic Patients

Use of the Fuld Object-Memory Evaluation in the detection of mild dementia among Spanish- and English-speaking groups. Loewenstein DA, Duara R, Argüelles T, Argüelles S. Fall 300–307

Home Care

Psychogeriatric services at certified home health agencies: case reports and guidelines for psychiatric consultants. Kennedy GJ, Katsnelson N, Laitman L, Alvarez E. Fall 339–347

Hospitalization

Clozapine in older patients with psychosis and behavioral disruption. Salzman C, Vaccaro B, Lieff J, Weiner A. Winter 26–33

Inpatients

Clozapine in older patients with psychosis and behavioral disruption. Salzman C, Vaccaro B, Lieff J, Weiner A. Winter 26–33

Depression in older patients in residential care: significance of dysphoria and dimensional assessment. Katz IR, Parmelee PA, Streim JE. Spring 161–169

Establishing a geriatric psychiatric consultation in a VA medical center. Baker FM, Chrismer B. Fall 348–352

Psychotic vs. nonpsychotic depression in older patients. Gierz M, Sewell DD, Kramer R, Gillin JC, Jeste DV. Winter 75–80

Valproic acid for physically aggressive behavior in geriatric patients. Sandborn WD, Bendfeldt F, Hamdy R. Summer 239–242

Letters

Combination ECT and antidepressant therapy. Farah A, Colenda CC. Fall 356–357

Levodopa

Levodopa dependence and hypersexuality in an older Parkinson's disease patient. Weinman E, Ruskin PE. Winter 81–83

Longitudinal Assessment

Outcome measures in late-life depression. Pearson JL, Reynolds CF III, Kupfer DJ, Lebowitz BD. Summer 191–197

Long-Term Care

Health care costs associated with aging: what is your HCA IQ? (editorial). Cohen GD. Summer 185–190

Memory Loss

Memory self-appraisal and cerebral glucose

metabolism in age-associated memory impairment. Small GW, Komo S, La Rue A, Kaplan A, Mandelkern MA. Spring 132–143

Mini-Mental State Exam (MMSE)

Screening tests for depression in older black vs. white patients. Baker FM, Velli SA, Friedman J, Wiley C. Winter 43–51

Use of the Fuld Object-Memory Evaluation in the detection of mild dementia among Spanish- and English-speaking groups. Loewenstein DA, Duara R, Argüelles T, Argüelles S. Fall 300–307

Negative Symptoms

Negative symptoms in patients with Alzheimer's disease. Galynker II, Roane *DM, Miner CR, Feinberg TE, Watts P.* Winter 52–59

Neuroleptics

Usage and side effects of neuroleptics in *elderly Japanese patients. Hayashi T,* Yamawaki S, Nishikawa T, Jeste DV. Fall *308–316*

Nortriptyline

Comparative effects of sertraline and nortriptyline on body sway in older *depressed patients. Laghrissi-Thode F,* Pollock BG, Miller M, Altieri L, Kupfer DJ. *Summer 217–228*

Nortriptyline side effects during *double-blind, randomized,* placebo-controlled maintenance therapy *in older, depressed patients. Reynolds CF* III, Frank E, Perel JM, Miller MD, Paradis *CF, Stack JA, Pollock BD, Rifai AH, Cornes* C, George CJ, Mazumdar S, Kupfer DJ. *Spring 170–175*

Nursing Home Residents

Depression in older *patients in residential* care: significance of dysphoria and dimensional assessment. Katz IR, Parmelee PA, Streim JE. Spring 161–169

Differential clinical characteristics of older black and white nursing home residents: a pilot study. Walker S, Borson S, Katon W, Peskind E, Corbin S, Cashman J, McLaughlin M, Raskind M. Summer *229–238*

Discontinuation of antipsychotics in nursing home patients with dementia. Horwitz GJ, Tariot PN, Mead K, Cox C. Fall *290–299*

Health care costs associated with aging: what is your HCA IQ? (editorial). Cohen GD. *Summer 185–190*

Physical Restraints

Anticipated *regret associated with treatment* decisions for agitated dementia patients. Colenda CC, Poses RM, *Rapp SR, Leist JC,* Reboussin DM. Winter 68–74

Positron Emission Tomography (PET) Scans/Cerebral Metabolism

Memory self-appraisal and cerebral glucose metabolism in age-associated memory impairment. Small GW, Komo S, La Rue A, Kaplan A, Mandelkern MA. Spring 132–143

Primary Care

Prevalence rates of major disorders: the effects of varying the diagnostic criteria in an older, primary care population. Hendrie HC, Callahan CA, Levitt EE, Hui SL, Musick B, Austrom MG, Nurnberger *JI,* Tierney WM. Spring 119–131

Proceedings

Scientific proceedings of the eighth annual meeting and symposium of the American *Academy for Geriatric Psychiatry.* Summer 245–273

Psychiatric Consultation

Establishing a geriatric psychiatric *consultation in a VA medical center.* Baker FM, Chrismer B. Fall 348–352

Psychogeriatric services at certified home health agencies: case reports and *guidelines for psychiatric consultants.* Kennedy GJ, Katsnelson N, Laitman L, *Alvarez E. Fall 339–347*

Psychosis

Clozapine in older patients with psychosis and behavioral disruption. Salzman C, *Vaccaro B, Lieff J, Weiner A. Winter 26–33*

Psychotic vs. nonpsychotic depression in *older patients. Gierz M, Sewell DD,* Kramer R, Gillin JC, Jeste DV. Winter 75–80

Racial/Multicultural Factors

Differential clinical characteristics of older black and white nursing home residents: a pilot study. Walker S, Borson S, Katon W, Peskind E, Corbin S, Cashman J, McLaughlin M, Raskind M. Summer 229–238

Establishing a geriatric psychiatric consultation in a VA medical center. Baker FM, Chrismer B. Fall 348–352

Operating characteristics of brief screens for *dementia in a multicultural population.* Wilder D, Cross P, Chen J, Gurland B, *Lantigua LA, Teresi J, Bolivar M,* Encarnacion P. Spring 96–107

Relative rates of dementia by multiple case definitions over two prevalence periods, *in three sociocultural groups. Gurland B,* Wilder D, Cross P, Lantigua R, Teresi J, *Barrett V, Stern Y, Mayeux R. Winter 6–20*

Screening tests for depression in older black *vs. white patients.* Baker FM, Velli SA, Friedman J, Wiley C. Winter 43–51

Usage and side effects of neuroleptics in elderly Japanese patients. Hayashi T, Yamawaki S, Nishikawa T, Jeste DV. Fall 308–316

Use of the Fuld Object-Memory Evaluation in the detection of mild dementia among Spanish- and English-speaking groups. Loewenstein DA, Duara R, Argüelles T, Argüelles S. Fall 300–307

Rating Scales

A comparison of two depression scales in a geriatric assessment clinic. Maixner SM, Burke WJ, Roccaforte WH, Wengel SP, *Potter JF. Winter 60–67*

Establishing a geriatric psychiatric *consultation in a VA medical center.* Baker FM, Chrismer B. Fall 348–352

Improving the clinical recognition of very mild dementia using multiple levels of *assessment. Ströhle A, Richert A, Maier H,* Gutzmann H. Winter 34–42

Outcome measures in late-life depression. Pearson JL, Reynolds CF III, Kupfer DJ, *Lebowitz BD. Summer 191–197*

Research Methods

Clinical research in the managed care environment. Lebowitz BD, Gottlieb GL. *Winter 21–25*

Methodology of treatment studies in *geriatric depression. Alexopoulos GS. Fall* 280–289

Outcome measures in late-life depression. Pearson JL, Reynolds CF III, Kupfer DJ, *Lebowitz BD. Summer 191–197*

Operating characteristics of brief screens for dementia in a multicultural population. Wilder D, Cross P, Chen J, Gurland B, Lantigua LA, Teresi J, Bolivar M, Encarnacion P. Spring 96–107

Prevalence rates of major disorders: the effects of varying the diagnostic criteria in *an older, primary care population.* Hendrie HC, Callahan CA, Levitt EE, Hui *SL, Musick B, Austrom MG, Nurnberger* JI, Tierney WM. Spring 119–131

Use of prediction intervals to characterize electroencephalographic changes caused *by diphenhydramine.* Katz IR, Sands LP, DiFilippo S, D'Angelo K, Harner R. *Summer 206–216*

Schizophrenia/Psychosis, Pharmacotherapy

Clozapine in older patients with psychosis and behavioral disruption. Salzman C, Vaccaro B, Lieff J, Weiner A. Winter 26–33

Discontinuation of antipsychotics in nursing home patients with dementia. Horwitz GJ, Tariot PN, Mead K, Cox C. Fall 290–299

Sertraline

Comparative effects of sertraline and nortriptyline on body sway in older depressed patients. Laghrissi-Thode F, Pollock BG, Miller M, Altieri L, Kupfer DJ. *Summer 217–228*

Sexuality

Levodopa dependence and hypersexuality in an older Parkinson's disease patient. *Weinman E, Ruskin PE. Winter 81–83*

Side Effects

Clozapine in older patients with psychosis and behavioral disruption. Salzman C, *Vaccaro B, Lieff J, Weiner A. Winter 26–33*

Comparative effects of sertraline and *nortriptyline on body sway in older* depressed patients. Laghrissi-Thode F, *Pollock BG, Miller M, Altieri L, Kupfer DJ.* Summer 217–228

Nortriptyline side effects during double-blind, randomized, *placebo-controlled maintenance therapy* in older, depressed patients. Reynolds CF *III, Frank E, Perel JM, Miller MD, Paradis* CF, Stack JA, Pollock BD, Rifai AH, Cornes *C, George CJ, Mazumdar S, Kupfer DJ.* Spring 170–175

Usage and side effects of neuroleptics in elderly Japanese patients. Hayashi T, Yamawaki S, Nishikawa T, Jeste DV. Fall 308–316

Use of prediction intervals to characterize electroencephalographic changes caused by diphenhydramine. Katz IR, Sands LP,

DiFilippo S, D'Angelo K, Harner R. Summer 206–216

Social Support Systems

Anxiety in geriatric depression: effects of age *and cognitive impairment. Alexopoulos* GS, Meyers BS, Young RC, Chester J, *Feder M, Einhorn A. Spring 108–118*

Depressive symptoms and associated factors *in a rural elderly population: the MoVIES* project. Ganguli M, Gilby J, Seaberg E, *Belle S. Spring 144–160*

Humor and aging: Methusalah and Thalia as *close friends (editorial).* Spring 93–95

Intergenerationalism: a new "ism" with positive mental health and social policy potential (editorial). Cohen GD. Winter 1–5

Treatment Decisions

Anticipated regret associated with treatment *decisions for agitated dementia patients.* Colenda CC, Poses RM, Rapp SR, Leist JC, *Reboussin DM. Winter 68–74*

Valproic Acid

Valproic acid for physically aggressive behavior in geriatric patients. Sandborn *WD, Bendfeldt F, Hamdy R. Summer* 239–242

Veterans

Establishing a geriatric psychiatric *consultation in a VA medical center.* Baker FM, Chrismer B. Fall 348–352